

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in this application.

Listing of Claims:

1. (Currently Amended) A communication server ~~for delivering~~ configured to deliver a data stream from a remote sender to a remote destination over a communication network, the communication server comprising:

a replacement unit for replacing pieces of data from an intended incoming data stream to be received from the remote sender ~~by~~ with identical pieces of data retrievable from a data storage accessible thereto, according to references supplied by said remote sender;

an identification unit for identifying the pieces of data to be replaced according to a digital signature that is a function of data contained in said pieces; and

an anchor-determination unit for determining locations in the data stream where predefined groups of characters from the data stream fulfill a predetermined criterion, the respective locations of such groups being reference points to the respective digital signature associated with the pieces of data in each group.

2. (Currently Amended) The communication server according to claim 1, further comprising a messaging unit for notifying a the remote sender to stop delivering intended incoming pieces of data ~~which are,~~ said incoming pieces being retrievable from a data storage accessible thereto.

3. (Original) The communication server according to claim 2, wherein the remote sender is a PC delivering data.

4. (Original) The communication server according to claim 1, wherein the pieces of data are packets of TCP/IP transmission protocol.

5. (Original) The communication server according to claim 1, further comprising a data storage accessible thereto, wherein the packets are stored in the data storage in blocks of variable size which is determined according to anchor location on the original data stream.

6. (Original) The communication server according to claim 1, wherein the digital signature is based on any of CRC, SHA1 or DES computed value of a predetermined number of bytes from a selected piece of data.

7. (Original) The communication server according to claim 1, wherein the digital signature is calculated from a predetermined number of bytes of data, the location of said bytes in the data stream is in correlation with at least one anchor, and the at least one anchor is a pointer to a location in the data stream having a compatibility with the predetermined criterion.

8. (Original) The communication server according to claim 7, wherein the predetermined criterion is a function of data contained in said pieces of data and is independent of a title, address or routing information of said data.

9. (Original) The communication server according to claim 8, wherein the function is responsive to a predetermined character combination such that an anchor is assigned upon recognition of said predetermined character combination.

10. (Currently Amended) The communication server according to claim 9, wherein the predetermined character combination is a ~~short~~ string of predefined characters.

11. (Original) The communication server according to claim 9, wherein a set of anchors is assigned to a respective piece of data, each anchor from the set is in correlation to an n-tuple location in said respective piece of data wherein the function is a hash function yielding a predefined value over the n-tuple.

12. (Original) The communication server according to claim 11, wherein the hash function is selected from a group containing LFSR, CRC, SHA1, DES, and MD5.

13. (Original) The communication server according to claim 1, wherein files are delivered through P2P communication.

14. (Currently Amended) A method ~~for~~ of delivering a data stream over a communication network, the method comprising:

determining reference points in the data stream being locations in the data stream where a predefined number of characters fulfill a predetermined criterion;

registering a digital signature being a value returned from a predetermined function taken over a predefined range of content, the predefined range of content is in correlation with the reference points; and

using the digital signature to locate locally stored content, and using the reference points or creating a dictionary and using it for synchronizing between currently received pieces of data and

between locally stored matching content.

15. (Original) A computer readable media containing instructions for controlling a computer system to implement the method of claim 14.

16. (Currently Amended) A system ~~for reducing~~ configured to reduce data transportation volumes over a communication network, comprising at least one communication server ~~as defined in~~ according to claim 1, said server configured to deliver the data stream to the remote destination over the communication network.